

University of Cincinnati Standardized Immunization Form

Health Professions Student Requirements

College of Medicine (MD), College of Pharmacy, College of Nursing, Advanced Medical Imaging (AMIT), Athletic Training, Audiology, Communication Sciences Disorders, Health Informatics, Medical Laboratory Science, Nutrition and Dietetics, Occupational Therapy, Physical Therapy, Respiratory Therapy, Speech Language Pathology, Social Work

First Name	Last Name	
M#	DOB	
UC Email	Phone #	

REQUIRED IMMUNIZATIONS

Hepatitis B - 3 doses of Engerix-B, PreHevbrio, Recombivax or Twinrix vaccines or 2 doses of Heplisav-B vaccine followed by a **QUANTITATIVE** Hepatitis B Surface Antibody test drawn more than 4 weeks after last vaccine dose. A test titer >10mIU/mL is positive for immunity. If the test result is negative, repeat another Hepatitis B vaccine series followed by a repeat test titer. If the Hepatitis B Surface Antibody test is negative after the repeat vaccine series, a "non-responder" status is assigned.

Primary Series	Vaccine	Date	
		3 Dose Series	2 Dose Series
Primary Hepatitis B Series AND Quantitative Titer	Hepatitis B Vaccine Dose #1		
3-dose vaccine (Energix-B,	Hepatitis B Vaccine Dose #2		
PreHevbrio, Recombivax, Twinrix) or 2-dose vaccine (Heplisav-B)	Hepatitis B Vaccine Dose #3		
	QUANTITATIVE Hep B Surface Antibody Test		mIU/ml
Repeat Series	Vaccine	Date	
		3 Dose Series	2 Dose Series
Repeat Hepatitis B Series AND Quantitative Titer	Hepatitis B Vaccine Dose #4		
Only if no response to primary series	Hepatitis B Vaccine Dose #5		
3-dose vaccine (Energix-B, PreHevbrio, Recombivax, Twinrix)	Hepatitis B Vaccine Dose #6		
or 2-dose vaccine (Heplisav-B)	QUANTITATIVE Hep B Surface Antibody Test		mIU/ml
Hepatitis B Vaccine Non-responder Non-responder If the Hepatitis B Surface Antibody test is negative (titer less than 10 mIU/mL) after a prima vaccine series, vaccine non-responders should be counseled and evaluated appropriately. institutions may request signing an "acknowledgment of non-responder status" documents.			

Tuberculosis (TB) Screening – Results of two-step (2) TB Skin Tests (TSTs) or (1) IGRA blood test done within the past 3 months. Thereafter, students will need annual TB exposure and symptoms screening with subsequent TB testing if indicated. History of previous positive TB skin testing (≥ 10 mm induration) or (+) TB blood test must be accompanied by documentation of the evaluation and/or treatment of this condition. You only need to complete ONE section, A or B.

Section A		Date Placed	Date Read	Result	Interpretation
	TST #1			mm	□ Negative
No History of Abnormal TB Skin Test or Blood Test	TST #2			mm	□ Negative
TST or T-spot/QuantiFERON TB Gold blood tests for tuberculosis			Date		Result
dota blood tests for tuberculosis	QuantiFERON TB Gold or T-Spot			□ Negative	
Section B		Date Placed	Date Read		Result
	Positive TST			mm	
			Date		Result
History of Positive Skin Test or Positive/Indeterminate	Quantiferon 18 Gold or 1-Spot			☐ Positive ☐ Indeterminate	
Blood Test TST or T-spot/QuantiFERON TB	Chest x-ray*			*Provide docume	ntation or result
Gold blood tests for tuberculosis	Treated for latent TB in	fection (LTBI)?*		□Yes □No *Pr	ovide documentation
	Date of Last Annual TB Symptom Questionnaire				

Last revised June 2023 Page 1 of 3



University of Cincinnati Standardized Immunization Form

Health Professions Student Requirements

First Name	Last Name	
M#	DOB	
UC Email	Phone #	

REQUIRED IMMUNIZATIONS (continued)

MMR (Measles, Mumps, Rubella) – 2 doses of MMR vaccine or two (2) doses of Measles, two (2) doses of Mumps and (2) doses of Rubella; or serologic proof of immunity for Measles, Mumps and/or Rubella. Choose only one option.					
Option 1	Vaccine	Date			
	MMR Dose #1				
MMR - 2 doses of MMR vaccine	MMR Dose #2		1		
Option 2	Vaccine or Test	Date			
	Measles Vaccine Dose #1		Serology Results		
Measles - 2 doses of vaccine or positive serology	Measles Vaccine Dose #2				
	Serologic Immunity (IgG antibody titer)		Qualitative Titer Result	☐ Positive ☐ Negative	
	Mumps Vaccine Dose #1		Serology Results		
Mumps - 2 doses of vaccine or positive serology	Mumps Vaccine Dose #2				
	Serologic Immunity (IgG antibody titer)		Qualitative Titer Result	☐ Positive ☐ Negative	
	Rubella Vaccine Dose #1		Serology Results		
Rubella - 2 doses of vaccine or positive serology	Rubella Vaccine Dose #2				
p	Serologic Immunity (IgG antibody titer)		Qualitative Titer Result	☐ Positive ☐ Negative	
Tetanus-diphtheria-pertussis – Or	ne (1) dose of adult Tdap within the past 10 years.	Date			
	Tdap Vaccine (Adacel, Boostrix, etc)				
Varicella (Chicken Pox) - 2 doses oj	vaccine or positive serology	Date			
	Varicella Vaccine Dose #1		Serology Results		
	Varicella Vaccine Dose #2				
	Serologic Immunity (IgG antibody titer)		Qualitative Titer Result	☐ Positive ☐ Negative	
Influenza – one dose annually each fall		Date		,	
	Influenza Vaccine (Fluzone, Flublok)				
	- one dose given on or after 16th birthday if of age at the start of their first semester with UC	Date			
	Meningococcal conjugate (ACWY) Vaccine				

THIRD PARTY REQUIREMENTS

Certain programs at the University have clinical and/or external placements that are a requirement for program completion. To the extent permitted by law, Students enrolled in such programs will be expected to comply with all rules, policies, guidelines, and requirements of any third party placement, including but not limited to vaccination and background check requirements. Any student's failure to comply with such third-party rules, policies, guidelines or requirements may result in the student not being able to complete and graduate from their program.

Coronavirus (Covid-19) - primary series of two monovalent doses OR one bivalent		Date	Manufacturer
	Covid-19 Vaccine Dose #1		
	Covid-19 Vaccine Dose #2		
	Covid-19 Bivalent Vaccine		

Last revised June 2023 Page 2 of 3



University of Cincinnati Standardized Immunization Form

Health Professions Student Requirements

First Name	Last Name	
М#	DOB	
UC Email	Phone #	

RECOMMENDED IMMUNIZATIONS

Serogroup B meningococcal (MenB) vaccii	Date		
Select vaccine type:	MenB Vaccine Dose #1]
☐ Trumenba ☐ Bexsero	MenB Vaccine Dose #2		
Hepatitis A - 2 doses of vaccine		Date	
	Hep A Vaccine Dose #1		
	Hep A Vaccine Dose #2		
Polio - 4 doses of vaccine	Date		
	Polio Vaccine Dose #1		
	Polio Vaccine Dose #2		
	Polio Vaccine Dose #3		
	Polio Vaccine Dose #4		
Human papilloma virus (HPV) - 3 doses of vage 15	Date		
	HPV Vaccine Dose #1		1
	HPV Vaccine Dose #2		
	HPV Vaccine Dose #3		1

MUST BE SIGNED BY A LICENSED HEALTHCARE PROFESSIONAL OR DESIGNEE:

Healthcare Professional Signature		Date
Printed Name		
NPI#		
Title		
Street Address		
City, State, Zip Code		Office Use Only
Phone Number	() Ext	
Fax Number	·	
Email Contact		

Last revised June 2023 Page 3 of 3